T11 Liaison Report to T10

- T11 last met on December 9, 1999 in Reno, NV
  - 74 attended from 62 organizations
  - Membership at 71 organizations (-EMC,Mylex,DG/Clariion, +SANCastle)

- Merger approved of T11.4 into T11.3

- Recommended Yes vote on ISO HIPPI-6400-PH

- LBs open on ST, HIPPI-6400-OPT, SM-LL-V

- Moved to forward ST Reliable Transport PP, 10GFC
  - Procedural issues about what to do about comment resolution on LB on PP

- Motion to employ T12 attendance rules failed 14-28-29

- Next meeting Feb 14-18, Huntington Beach

Relative Ordering of ACC & retransmissions

- Drawings imply that ACC transmitted prior to retransmitted frames

- Not specified in words in FCP-2

- Suggest that either ordering be permissible
  - Allows a reject if frames cannot be successfully retransmitted

Use of LS_RJT as reply to SRR

- Current spec calls for LS_RJT as the fail return to SRR
  - Made perfect sense when SRR was an ELS
  - Now means response has different R_CTL & TYPE than request

- Suggest a new FC4 Link Data Reply command code to mean REJ
  - 02 means ACC. Fail could be either 01 or 03.
  - Put reason code/explanation in PARAMETER field as in LS_RJT
  - TYPE 08, R_CTL FC4 Link Data Reply.