T10/02-254 revision 1

Date: August 1, 2002

To: T10 Committee (SCSI)

From: George Penokie (IBM/Tivoli)

Subject: WWNs for WLUNs

1 Overview

As a result of all W-LUNs being required to support the INQUIRY command every W-LUN will have to have a name. The current definition of W-LUNs is silent on this issue and as a result implementations will not doubt go from having no name to having a different name for each W-LUN within a target device. In the interest of keeping things simple this proposal requests that all W-LUNs within a single target device be assigned the name of that target device.

This works because there can be no more than one of each kind of W-LUN within a given target device.

This has the side benefit of being able to find out the target device's name if the target device supports any W-LUN.

2 SPC-3 Additions in section 9.1

Add the following text into section 9.1 of SPC-3

All W-LUNs within a single target device shall have the same name as that target device. The name of the W-LUN may be determined by issuing an INQUIRY command requesting the Device Identification VPD page.

All W-LUNs shall support the Inquiry commands Device Identification VPD page (83h) and, at a minimum, support the Identify Descriptor with the identifier type set to the NAA identifier (3h) or the EUI-64 identifier (2h). The contents of the IDENTIFIER field shall be equal to the SCSI target device's name. The returned Device Identification VPD page (83h) may contain more that one SCSI target device name, however, all W-LUNs within a SCSI target device shall return the same list of SCSI target device names.

The following needs to be added to the Association table (Table 267 SPC-3 rev 8):

Add-in a new association type (2h) described as: The IDENTIFIER field is associated with the SCSI target device that contains the addressed well-known logical unit.

Change the type 0h description from: The IDENTIFIER field is associated with the addressed physical or logical device. To: The IDENTIFIER field is associated with the addressed logical unit.

i WWNs for WLUNs