

# memorandum



Hewlett-Packard Company  
3000 Hanover Street  
Palo Alto, CA 94304-1185  
USA  
www.hp.com

T10/04-067r0

<b>To</b>	<b>From</b>	<b>Subject</b>	<b>Date</b>
INCITS T10 Committee	Michael Banther, HP	ADT Unexpected Encapsulated SCSI IU's	18 February, 2004

## Introduction

During discussion of item (g) at the 12-13 January 2004 ADI Working Group meeting, the group agreed that a port receiving an unexpected SCSI Data IU will respond with a NAK IU (see 04-034r0). The port will set the NAK status code to INVALID OR ILLEGAL IU RECEIVED. The group also agreed that a port receiving an unexpected SCSI Transfer Ready IU will respond with an ACK IU and take no further action.

This proposal sets out the text changes in ADT to implement the agreed behaviour.

## Existing Text

7.1.7 SCSI encapsulation exchange lifetime

⋮

If a port receives a SCSI Response IU, SCSI Transfer Ready IU, or SCSI Data IU in a nonexistent exchange, it shall transmit a NAK IU with a status code of INVALID EXCHANGE ID and discard the SCSI IU.

## Proposed Text

7.1.7 SCSI encapsulation exchange lifetime

⋮

### 7.1.8 Reception of Encapsulated SCSI Information Units in exceptional circumstances

If a port receives a SCSI Response IU, SCSI Transfer Ready IU, or SCSI Data IU in a nonexistent exchange, it shall transmit a NAK IU with a status code of INVALID EXCHANGE ID and discard the SCSI IU.

If a port receives an unexpected SCSI Data IU, it shall transmit a NAK IU with a status code of INVALID OR ILLEGAL IU RECEIVED and discard the SCSI Data IU. If a port receives an unexpected SCSI Transfer Ready IU, it shall transmit an ACK IU and take no further action.