ENDL TEXAS

Date: 18 June 2004 To: T10 Technical Committee and SNIA OSD TWG From: Ralph O. Weber Subject: A FLUSH for every object type

OSD Letter Ballot comments HP 76) and HP 77) note that FLUSH OBJECT is the only command for which there is not a different command for each object type.

This proposal attempts to correct that by defining FLUSH xxx commands for all object types.

The contents of this proposal represent a replacement for 6.7 (FLUSH OBJECT) in OSD r09.

Revision History

r0 Original revision

Detailed OSD r09 Changes

For completeness, accepted changes from the following OSD Letter Ballot comments (see T10/04-108) are included in this document: HP 34), HP 78), HP 79), Lingua 28), and Veritas 64).

Text already appearing in OSD r09 is shown in black. Text appearing in OSD r09 that is to be removed is shown in red strike through. Text to be added is shown in blue.

4.9.4.4 Credentials and commands allowed

• • •

Table 19 — Commands allowed by specific capability field values

		ility Field valu llow a comma		
Commands allowed and CDB fields whose contents are restricted by credential field contents	Object Type Name	Permission Bits That Are Set To One	Object Descriptor Name	
A FLUSH OBJECT command with the CDB PARTITION_ID field containing a value that matches the contents of the credential PARTITION_ID field, the CDB USER_OBJECT_ID field containing a value that matches the contents of the object descriptor SINGLE OBJECT_ID field, and the USER_OBJECT_ID field not containing a Collection_Object_ID.	USER	OBJ_MGMT	1OBJECT	
A FLUSH OBJECT COLLECTION command with the CDB PARTITION_ID field containing a value that matches the contents of the credential PARTITION_ID field, the CDB USER_OBJECT_ID COLLECTION_OBJECT_ID field containing a value that matches the contents of the object descriptor SINGLE OBJECT_ID field, and the USER_OBJECT_ID field containing a Collection_Object_ID.	COLLECTION	OBJ_MGMT	1OBJECT	
A FLUSH OBJECT PARTITION command with the CDB PARTITION_ID field containing a value that matches the contents of the object descriptor SINGLE OBJECT_ID field and the CDB- USER_OBJECT_ID field equal to zero.	PARTITION	OBJ_MGMT	10BJECT	
A FLUSH OBJECT OSD command with the CDB PARTITION_ID field and the CDB USER_OBJECT_ID field both equal to zero or a FORMAT OSD command.	ROOT	OBJ_MGMT	10BJECT ^a	
A FORMAT OSD command.	ROOT	OBJ_MGMT and GLOBAL	10BJECT ^a	
Combinations of OBJECT TYPE field, PERMISSION BITS field, and OBJE this table and table 20 are reserved. The credential and capability fields not shown in this table may pla				

allowed to be accessed.

^a The object descriptor SINGLE OBJECT_ID field shall contain zero.

4.9.5.3 Reconstructing the credential

The device server reconstructs a credential from a CDB capability by:

- 1) Reconstructing the credential fields as follows:
 - A) Copy the value in the OSD system ID attribute in the Root Information attributes page (see 7.1.2.8) to the OSD SYSTEM ID field of the reconstructed credential; and
 - B) Reconstruct the credential PARTITION ID field as follows:
 - a) If the command is CREATE PARTITION, FLUSH PARTITION, FLUSH OSD, FORMAT OSD, LIST, PERFORM SCSI COMMAND, REMOVE PARTITION, or SET KEY, then place zero in PARTITION_ID field of the reconstructed credential;
 - b) If the CDB USER_OBJECT_ID field contains zero and the command is FLUSH OBJECT or PERFORM TASK MANAGEMENT, then place zero in PARTITION_ID field of the reconstructed credential; or
 - c) Otherwise, copy the contents of the CDB PARTITION_ID field to the PARTITION_ID field of the reconstructed credential;

and

2) Copying the capability from the CDB to the reconstructed credential.

4.15 Reservations

• • •

Table 30 — OSD commands that are allowed in the presence of various reservations

	Addressed LU has this type of persistent reservation held by another I_T Nexus					
OSD Command	From any I_T Nnexus		From registered	From I_T Nn exus not registered		
	Write Excl	Excl Access	I_T <mark>Nn</mark> exus (RR all types)	Write Excl RR	Excl Acc- ess – RR	
FLUSH OBJECT	Conflict	Conflict	Allowed	Conflict	Conflict	
FLUSH COLLECTION	Conflict	Conflict	Allowed	Conflict	Conflict	
FLUSH OSD	Conflict	Conflict	Allowed	Conflict	Conflict	
FLUSH PARTITION	Conflict	Conflict	Allowed	Conflict	Conflict	
	····					
Key: LU=Logical Unit, Excl=Exclusive, RR=Reg	gistrants Or	nly or All R	egistrants			

6.1 Summary of commands for OSD type devices

...

Table 39 — Commands for OSD type devices
--

Command name	Operation code	Service action ^a	Туре	Reference
FLUSH OBJECT	7Fh	8808h	М	6.w
FLUSH COLLECTION	7Fh	88??h	М	6.x
FLUSH OSD	7Fh	88??h	М	6.y
FLUSH PARTITION	7Fh	88??h	М	6.z

6.w FLUSH OBJECT

The FLUSH OBJECT command (see table 45) ensures that the specified data and attribute bytes for the specified user object are written to stable storage (see 4.10).

Bit Byte	7	6	5	4	3	2	1	0
8	(MSB)							
9			SERVICE ACTION (8808h)					
10		Reserved FLUSH						SCOPE
11	Reserved GET/SET CDBFMT Reserved						erved	
12				TIMESTAMPS	CONTROL			
13				Deserved				
15			Reserved					
16	(MSB)		PARTITION_ID					
23								(LSB)
24	(MSB)	MSB)						
31		USER_OBJECT_ID					(LSB)	
32				Deserved				
51		Reserved						
52				Catandaat	attributaa par	amatara (aga	E 0 1)	
79		Get and set attributes parameters (see 5.2.1)						
80				Socurity por	motoro (acc	5 0 5)		
173					ameters (see	5.2.5)		

Table 45 — FLUSH OBJECT command

The FLUSH SCOPE field (see table 46) specifies the scope of the data and attribute bytes that are written to stable storage.

Value	Scope of data and attributes that shall be written to stable storage
00b	User object data and attributes
01b	User object attributes only
10b - 11b	Reserved

Table 46 — User object flush scope values

Table 46 — Flush scope values

	Scope of data and	Scope of data and attributes that shall be written to stable storage					
	Contents of USER_OBJECT_ID field						
Value	Not Zero (i.e., user object) Zero (i.e., partition)						
00b	User object data and attributes	List of OSD objects contained in the partition -a					
01b	User object attributes only Partition attributes only						
10b	Reserved a) List OSD objects contained in the partition; -a b) Partition attributes; and c) User object data and attributes for listed OSD objects						
11b	Reserved Reserved						
- zero, th + A FLUS							

The GET/SET CDBFMT field specifies the format of the get and set attributes parameters as described in 5.2.1.

The contents of the TIMESTAMPS CONTROL field are defined in 5.2.7.

The contents of the PARTITION_ID field are defined in 5.2.4.

The contents of the USER_OBJECT_ID field are defined in 5.2.8.

The get and set attributes parameters are defined in 5.2.1. The format of the Data-In Buffer and Data-Out Buffer when attributes are being retrieved or set is described in 4.11.

The security parameters are defined in 5.2.5.

6.x FLUSH COLLECTION

The FLUSH COLLECTION command (see table 47) ensures that the attribute bytes for the specified collection are written to stable storage (see 4.10).

Bit Byte	7	6	5	4	3	2	1	0	
8	(MSB)								
9			SERVICE ACTION (88??h)						
10		Reserved FLUSH SCOP						SCOPE	
11	Rese	Reserved GET/SET CDBFMT Reserved							
12				TIMESTAMPS	CONTROL				
13									
15			Reserved						
16	(MSB)								
23		partition_id(LS						(LSB)	
24	(MSB)								
31			collection_object_id (LS						
32			Reserved						
51									
52			Get and set attributes parameters (see 5.2.1)						
79				Get and Set	attributes par	ameters (see	5.2.1)		
80				Socurity por	motore (see	5 2 5)			
173				Security para	ameters (see	0.2.0)			

Table 47 — FLUSH COLLECTION command

The FLUSH SCOPE field (see table 48) specifies the scope of the data and attribute bytes that are written to stable storage.

Table 48 — Collection flush scope values

Value	Scope of data and attributes that shall be written to stable storage
00b	List of user objects contained in the collection
01b	Collection attributes only
10b	a) List of user objects contained in the collection; andb) Collection attributes.
11b	Reserved

	Scope of data and	attributes that shall be written to stable storage			
	Contents of USER_OBJECT_ID field				
Value	Not Zero (i.e., user object) Zero (i.e., partition)				
00b	User object data and attributes	List of OSD objects contained in the partition - ^a			
01b	User object attributes only	Partition attributes only			
10b	Reserved	 a) List OSD objects contained in the partition; ^a b) Partition attributes; and c) User object data and attributes for listed OSD objects ^b 			
11b	Reserved Reserved				

Table 49 — Flush scope values

 ^b A FLUSH OBJECT command with a flush scope of 10b that is addressed to partition zero, flushes the entire OSD logical unit.

The GET/SET CDBFMT field specifies the format of the get and set attributes parameters as described in 5.2.1.

The contents of the TIMESTAMPS CONTROL field are defined in 5.2.7.

The contents of the PARTITION_ID field are defined in 5.2.4.

The COLLECTION_OBJECT_ID field specifies Collection_Object_ID (see 4.6.6). If the collection identified by the COLLECTION_OBJECT_ID field does not exist, the command shall be terminated with a CHECK CONDITION status, with the sense key set to ILLEGAL REQUEST and the additional sense code set to INVALID FIELD IN CDB.

The get and set attributes parameters are defined in 5.2.1. The format of the Data-In Buffer and Data-Out Buffer when attributes are being retrieved or set is described in 4.11.

The security parameters are defined in 5.2.5.

6.y FLUSH PARTITION

The FLUSH PARTITION command (see table 49) ensures that the specified data and attribute bytes for the specified partition are written to stable storage (see 4.10).

Bit Byte	7	6	5	4	3	2	1	0
8	(MSB)							
9			SERVICE ACTION (88??h) (LS					
10		Reserved FLUSH SCOPE						SCOPE
11	Rese	erved	GET/SET	CDBFMT		Rese	erved	
12				TIMESTAMPS	CONTROL			
13			Reserved					
15								
16	(MSB)							
23		PARTITION_ID (LS					(LSB)	
24			Decentrad					
51				Reserved				
52				Cat and act	attributaa par	omotoro (aco	E 0 1)	
79		Get and set attributes parameters (see 5.2.1)						
80				Socurity par	motors (soo	5 2 5)		
173				Security para	ameters (see	5.2.0)		

Table 49 — FLUSH PARTITION command

The FLUSH SCOPE field (see table 50) specifies the scope of the data and attribute bytes that are written to stable storage.

Value	Scope of data and attributes that shall be written to stable storage
00b	List of user objects and collections contained in the partition
01b	Partition attributes only
10b	 a) List of user objects and collections contained in the partition; b) Partition attributes; c) User object data and attributes for all user objects in the partition; and d) Attributes for all collections in the partition.
11b	Reserved

Table 50 — Partition flush scope values

	Scope of data and attributes that shall be written to stable storage		
	Contents of USER_OBJECT_ID field		
Value	Not Zero (i.e., user object)	Zero (i.e., partition)	
00b	User object data and attributes	List of OSD objects contained in the partition - ^a	
01b	User object attributes only	Partition attributes only	
10b	Reserved	 a) List OSD objects contained in the partition; ^a b) Partition attributes; and c) User object data and attributes for listed OSD objects ^b 	
11b	Reserved	Reserved	

Table 49 — Flush scope values

A FLUSH OBJECT command with a flush scope of 10b that is addressed to partition zero, flushes the entire OSD logical unit.

The GET/SET CDBFMT field specifies the format of the get and set attributes parameters as described in 5.2.1.

The contents of the TIMESTAMPS CONTROL field are defined in 5.2.7.

The contents of the PARTITION_ID field are defined in 5.2.4. If the PARTITION_ID field contains zero, the command shall be terminated with a CHECK CONDITION status, with the sense key set to ILLEGAL REQUEST and the additional sense code set to INVALID FIELD IN CDB.

The get and set attributes parameters are defined in 5.2.1. The format of the Data-In Buffer and Data-Out Buffer when attributes are being retrieved or set is described in 4.11.

The security parameters are defined in 5.2.5.

6.z FLUSH OSD

The FLUSH OSD command (see table 51) ensures that the specified data and attribute bytes for the OSD logical unit are written to stable storage (see 4.10).

Bit Byte	7	6	5	4	3	2	1	0
8	(MSB)	- SERVICE ACTION (88??h) (LSB)						
9						(LSB)		
10	Reserved FLUSH SCOPE				SCOPE			
11	Rese	eserved GET/SET CDBFMT			Rese	served		
12	TIMESTAMPS CONTROL							
13								
51								
52								
79		Get and set attributes parameters (see 5.2.1)						
80								
173		Security parameters (see 5.2.5)						

Table 51 — FLUSH OSD command

The FLUSH SCOPE field (see table 52) specifies the scope of the data and attribute bytes that are written to stable storage.

Table 52 — Root object flush scope values

Value	Scope of data and attributes that shall be written to stable storage
00b	List of partitions contained in the OSD logical unit
01b	Root object attributes only
10b	 a) List of partitions contained in the OSD logical unit; b) Root object attributes; c) Lists of user objects and collections contained in the every partition in the OSD logical unit; d) Partition attributes for every partition in the OSD logical unit; e) User object data and attributes for all user objects in the OSD logical unit; and f) Attributes for all collections in the OSD logical unit.
11b	Reserved

	Scope of data and attributes that shall be written to stable storage			
	Contents of USER_OBJECT_ID field			
Value	Not Zero (i.e., user object)	Zero (i.e., partition)		
00b	User object data and attributes	List of OSD objects contained in the partition ^a		
01b	User object attributes only	Partition attributes only		
10b	Reserved	 a) List OSD objects contained in the partition; ^a b) Partition attributes; and c) User object data and attributes for listed OSD objects ^b 		
11b	Reserved Reserved			
 ^a For all partitions except partition zero, the listed OSD objects are user objects and collections. For partition zero, the listed OSD objects are partitions. ^b A FLUSH OBJECT command with a flush scope of 10b that is addressed to partition zero, flushes the entire OSD logical unit. 				

Table 49 — Flush scope values

The GET/SET CDBFMT field specifies the format of the get and set attributes parameters as described in 5.2.1.

The contents of the TIMESTAMPS CONTROL field are defined in 5.2.7.

The get and set attributes parameters are defined in 5.2.1. The format of the Data-In Buffer and Data-Out Buffer when attributes are being retrieved or set is described in 4.11.

The security parameters are defined in 5.2.5.

B.1 Service action codes

• • •

Table B.1 — Numerical order OSD service action	codes
--	-------

Service Action	Command
8808h	FLUSH OBJECT
88??h	FLUSH COLLECTION
88??h	FLUSH OSD
88??h	FLUSH PARTITION
•••	•••