



To: T10 Technical Committee

From: Kevin Butt, IBM

Document: T10/04-229r0

Subject: Automation/Drive Interface - Commands (ADC) - Resolution of LB Comment IBM Butt 1.

IBM Butt 1: 6.1.4 Requested Recovery log page Add a method to indicate that a retrieval of a drive error log (dump) is requested prior to performing the requested recoveries.

Related Proposals: 04-230.

Proposal

After discussing the intended direction of this proposal with the ADI WG and finding opposition to my original direction, I have created two options for this proposal. Option 1 is to simply add two Recovery procedures to the Requested Recovery page and assume that proposal 04-230 is rejected. Option 2 is to withdraw this proposal if 04-230 passes.

Option 1

6.1.4 Requested Recovery log page

...

The RECOVERY PROCEDURE fields specify a list of recovery procedures (see table 19) listed in order from the most preferred to the least preferred procedure.

TABLE 19 — Recovery procedures

| Recovery Procedure | Description |
|--------------------|---|
| 00h | Recovery not requested |
| 01h | Recovery requested, no recovery procedure defined |
| 02h | Push medium |
| 03h | Remove and re-insert medium |
| 04h | Issue UNLOAD command, remove, and re-insert medium |
| 05h | Cycle power to DT device |
| 06h | Issue LOAD command |
| 07h | Issue UNLOAD command |
| 08h | Issue Logical Unit Reset request |
| 09h | No recovery procedure defined. Contact service organization |

TABLE 19 — Recovery procedures

| Recovery Procedure | Description |
|----------------------------|---|
| 0Ah | Issue UNLOAD command, remove, and quarantine medium |
| 0Bh | Do not insert medium. Contact service organization |
| 0Ch | Issue UNLOAD command, remove medium, and contact service organization |
| 0Dh | Trigger a DT device drive dump |
| 0Eh | Retrieve a DT device drive dump |
| 0Fh – 07Fh | Reserved |
| 80h – FFh | Vendor-specific procedures |