

TO: T10 Membership
FROM: Paul A. Suhler, Quantum Corporation
DATE: 2 May 2005
SUBJECT: T10/04-263r5, Features for ADC-2 and ADT-2

Revision 5

- Added status of items.
- Listed individual assigned each item.
- Added WORM to media types to be reported (item 26).

Revision 4

- Priority of each feature.
- State machine changes.
- New IUs.

Revision 3:

- Add density override to RMC LU descriptor.
- Clarify interactions of RMC and ADC device servers, physical device, and DT device.
- Modify model section to allow automation and DT devices with no ADT ports.
- Specify method to prepare and to retrieve dumps.
- Consolidated redundant entries for automation firmware update.

Revision 2:

- Modified description of real-time clock to refer to proposal against SPC-x.

Revision 1:

- Investigate whether ADC should address failover in multi-port drives.

Revision 0:

- Change “Device Status” to “Device Statistics” log page to TARGET LOG PAGES well-known logical unit.
- Consider interaction of the VHF Data WRTP bit and WORM media

03-133 Revision 9:

- Address Device Status log page to TARGET LOG PAGES well-known logical unit.

Revision 8:

- Mechanism for automation device to update its firmware from a medium in a DTD via the ADT.
- Resolve how the local SMC device server handles INQUIRY for page 83h with association = 2 (target device).

Revision 7:

- Add support to ADC DTD Primary Port Status log parameter and DTD Primary Port mode descriptor for SAS and possibly iSCSI.

Revision 6:

- Simplification of retryable error recovery.

Revision 5:

- Smaller ADI connector

Revision 4:

- Added a section to this document for feature descriptions that are not available in either T10 proposals or minutes.
- Identification Descriptor sub-page for ADC Device Configuration mode page.

Revision 3:

- Real-Time Clock
- Volume Identifier

Revision 2:

- Automation initiated/mediated DTD diagnostics
- Automation firmware update from tape via a read buffer command

Revision 1:

- Control of sense data masking via mode page
- Added links to documents

Revision 0:

- Passthrough bridging
- Progress indication

General

In the development of Automation Drive Interface standards, ADC and ADT, a number of concepts were discussed which were of insufficient urgency to include in the first generation standards. This document lists those concepts and the affected standards, as well as the documents and meeting minutes which present the most fully developed presentation of the concepts.

Status of Items

| |
|-----------|
| Open |
| Assigned |
| Completed |
| Dropped |

| Number | Feature | Affected Standards | | Priority | Proposal documents | Minutes |
|--------|---|--------------------|-------|----------|--|--|
| | | ADC-2 | ADT-2 | | | |
| 1 | Passthrough Bridging | X | X | L | 03-077r3 | 10 – 11 March 2003 ADI WG meeting, 03-117r0 |
| 2 | Progress Indication | X | | L | ADC-r01 , clause 4.2.5 | 8 April 2003 ADI WG teleconference, 03-159r0 |
| 3 | Control of Sense Data Masking | X | | L | 03-087r1 | 8 July 2003 ADI WG meeting, 03-236r0 |
| 4 | Automation initiated/mediated DTD diagnostics [Assigned to Wideman, 05-158] | X | | M | None | 8 September 2003 |
| 5 | Real-Time Clock Control | X | | M | 04-271 | |

| Number | Feature | Affected Standards | | Priority | Proposal documents | Minutes |
|--------|---|--------------------|-------|----------|--------------------------------|---|
| | | ADC-2 | ADT-2 | | | |
| 6 | Volume Identifier Control | X | | M | None | ADI WG meeting, 03-295r0 |
| 7 | Identification Descriptor sub-page | X | | L | Note 1 | None |
| 8 | Smaller ADI Connector [Assigned to Banther] | | X | H | None | 23 February 2004 ADI WG teleconference, 04-066r0 |
| 9 | Simplification of retryable error recovery. | | X | L | None | 8–9 March 2004 ADI WG meeting, 04-080r0 , Unscheduled Business item f |
| 10 | ADC support for SAS and iSCSI. [iSCSI dropped] | X | | H | None | 12 July 2004 ADI WG meeting, 04-199r0 , ADC LB comment Seagate-41. |
| 11 | Mechanism for automation device to update its firmware from a medium in a DTD via the ADT port. | X | | M | ADC LB comment Seagate-25 | 8 July 2003 ADI WG meeting, 03-236r0 ; and 29 July 2004 ADI WG teleconference, 04-244r0 |
| 12 | How does the local SMC device server handle INQUIRY for page 83h with association = 2 (target device)? [Assigned to Wideman] | X | | M | ADC LB comment HP-88 | 29 July 2004 ADI WG teleconference, 04-244r0 |
| 13 | Address Device Statistics log page to TARGET LOG PAGES well-known logical unit. Add parameters to Device Statistics log page. | X | | L | ADC LB comment HP-172 | 9 August 2004 ADI WG teleconference, 04-256r1 , item 5a. |
| 14 | Consider interaction of the VHF Data WRTP bit and WORM media. | X | | H | ADC LB comment HP-159 | |
| 15 | Investigate whether ADC-2 should address failover in multi-port drives | X | | M | ADC LB comment HP-268 | 16 August 2004 ADI WG teleconference, 04-266r0 , item 5a. Also 04-197r1 . |
| 16 | Add density override to RMC LU descriptor [Assigned to Entzel] | X | | M | ADC LB comment IBM Penokie-414 | 13 – 14 September 2004 ADI WG meeting, 04-304r0 . |
| 17 | Clarify interactions of RMC and ADC device servers, physical device, and DT device. [Assigned to Suhler in SSC-3, 05-049] | X | | L | None | |

| Number | Feature | Affected Standards | | Priority | Proposal documents | Minutes |
|--------|---|--------------------|-------|----------|---------------------------|--|
| | | ADC-2 | ADT-2 | | | |
| 18 | Modify model section to allow ADs and DTDs with no ADT ports. | X | | L | None | |
| 19 | Specify method to prepare and to retrieve dumps. [Assigned to Wideman, 05-158] | X | | H | ADC LB comment IBM Butt-2 | |
| 20 | Separate state machines for AD ports and DTD ports. [Assigned to Butt] | | X | L | ADT LB comment IBM-27 | 8 November 2004 ADI WG meeting, 04-385r0 . |
| 21 | Test IU [Assigned to Butt] | | X | L | ADT LB comment IBM 122 | |
| 22 | Device Reset IU | | X | M | 04-364r0 | |
| 23 | ADT Port State Machine, IU Statements in State Sub-clause | | X | L | 04-369r0 | |
| 24 | ADT TE Sub-state Machine, IU Statements in State Description Sub-clause [Assigned to Banther] | | X | L | 04-381r0 | |
| 25 | Negotiation of optional features | | X | L | None | |
| 26 | Clarify reporting of data, cleaning, firmware, and WORM media. [Assigned to Wideman] | X | | M | None | |
| | | | | | | |

Other References

This section documents requests that are not listed in meeting minutes or T10 documents

1. 4 November 2003 e-mail from Michael Banther

Hi Paul,

I'd like to request an area for consideration in ADI-2. I think that we should investigate altering the definition of the ADC Node Descriptor sub-page (6.2.2.1 in ADCr06) to become an Identification Descriptor sub-page. The Identification Descriptor sub-page would provide a general facility to alter any Identification Descriptor reported in VPD page 83h by a DTD. If we cannot alter the existing sub-page and maintain backwards compatibility, I would like to see the introduction of a new Identification Descriptor sub-page with the intention of making the Node Descriptor sub-page obsolete in a future generation of the standard (no sooner than ADI-3).

Could you please add this subject to the list for ADI-2?

Thanks,

Michael Banther

Hewlett-Packard Ltd.
Telephone +44 (117) 312-9503