Project Proposal for a New INCITS Standard

Automation/Drive Interface – Transport Protocol – 2 (ADT-2)

November 11, 2004

- 1 Source of the Proposed Project
- 1.1 Title: Automation/Drive Interface Transport Protocol 2 (ADT-2)
- 1.2 Date Submitted: November 11, 2004
- 1.3 Proposing Group: T10
- 2 Process Description for the Proposed Project
- 2.1 Project Type: D Development
- 2.2 Type of Document:

Standard

2.3 Definitions of Concepts and Special Terms:

None

2.4 Expected Relationship with Approved Reference Models, Frameworks,

Architectures, etc.

None, it is expected that this standard will be used in closed systems.

2.5 Recommended INCITS Development Technical Committee:

T10

2.6 Anticipated Frequency and Duration of Meetings

Technical Committee T10 meets on a regularly scheduled basis (see www.t10.org for the current meeting schedule). Specific task ad hoc groups are called as required between the regular meetings, but their results are not binding.

2.7 Target Date for Initial Public Review (Milestone 4):

November, 2006.

2.8 Estimated Useful Life of Standard or Technical Report:

5 Years.

- 3 Business Case for Developing the Proposed Standard or Technical Report
- 3.1 Description:

Media changer (automation) devices use a private communication link for monitoring and controlling the removable medium devices (drives) installed in them. The proposed Automation/Drive Interface – Transport Protocol – 2 (ADT-2) standard is based on the Automation/Drive Interface – Transport Protocol (ADT) draft standard and specifies a protocol and physical layer for transporting commands, data, and status between automation devices and the drives. This transport layer may be implemented on multiple physical interfaces, including the interface defined in this project. The commands to be transported are specified by the proposed Automation/Drive Interface – Commands – 2 (ADC-2) standard.

The following items should be considered for inclusion in ADT-2:

1) Alignment with SAM-3.

- 2) Passthrough bridging.
- 3) A smaller ADI connector.
- 4) Simplification of retryable error recovery.
- 5) Other capabilities that may fit within the general application scope of this project.

# 3.2 Existing Practice and the Need for a Standard:

Presently, each drive vendor has a proprietary protocol and various interfaces for control by media changers. This requires media changer vendors to implement and debug new protocols and define new physical layers when a new drive is integrated, resulting in product introduction delays.

## 3.3 Implementation Impacts of the Proposed Standard:

### 3.3.1 Development Costs

Members of T10 will provide the necessary resources. The T10 members will host the required meetings for development, provide for the necessary lab experiments, and provide the Technical Editor for the project.

## 3.3.2 Impact on Existing or Potential Markets

The nature of the proposed project is to provide for growth in the medium changer and stream device product industry. This ensures that current investments in these products will have a stable managed migration path in the face of technological developments.

### 3.3.3 Costs and Methods for Conformity Assessment

The committee will consider the results of testing as may be available to the committee through the voluntary efforts of the various participants in T10. With this method all costs are borne by the organizations of the various participants and have for the most part been mainly an adjunct of their normal development costs.

#### 3.3.4 Return on Investment

ROI information is considered proprietary data by the member organizations, but members have stated that the ROI is expected to be large.

## 3.4 Legal Considerations

#### 3.4.1 Patent Assertions

Calls will be made to identify assertions of patent rights in accordance with the relevant INCITS, ANSI, and ISO/IEC policies and procedures.

## 3.4.2 Dissemination of the Standard or Technical Report

Drafts of this document will be disseminated electronically. Dissemination of the final standard will be restricted as the document becomes property of INCITS, ANSI, and/or ISO/IEC.

#### 4 Related Standards Activities:

## 4.1 Existing Standards:

_	
ID Number	Title
INCITS 366-2003	SCSI Architecture Model – 2 (SAM-2)
INCITS 351-2001	SCSI Primary Commands – 2 (SPC-2)
INCITS 335-2000	SCSI-3 Stream Commands (SSC)
INCITS 380-2003	SCSI Stream Commands – 2 (SSC-2)
IN 101TO 000 000 4	

INCITS 382-2004 SCSI Medium Changer Commands – 2 (SMC-2)

# 4.2 Related Standards Activity:

**ID Number** Title T10/1561-D SCSI Architectural Model - 3 (SAM-3) T10/1416-D SCSI Primary Commands - 3 (SPC-3) SCSI Stream Commands - 3 (SSC-3) T10/1611-D

Automation/Drive Interface – Commands (ADC) T10/1558-D Automation/Drive Interface – Transport Protocol (ADT) Automation Drive Interface Connector T10/1557-D

SFF-8054

# 4.3 Corresponding ISO projects:

**ID** Number

Multipart SCSI Standard ISO/IEC 14776

## 4.4 Recommendations for Close Liaison:

None.

#### 5 Units of Measurement used in the Standard

International Systems of Units (SI)