

# **Project Proposal for a new INCITS Standard**

## **Automation/Drive Interface Commands - 3 (ADC-3)**

### **1 Source of Proposed Project**

**1.1 Title:** Automation/Drive Interface Commands – 3 (ADC-3)

**1.2 Date Submitted:** 22 June 2007.

**1.3 Proposing Group:** INCITS TC T10. Seven T10 members are also INCITS members.

### **2 Process Description for the Proposed Project**

**2.1 Project Type:** D - Development.

**2.2 Type of Document:** Standard.

**2.3 Definitions of Concepts and Special Terms:** none.

**2.4 Expected Relationship with Approved Reference Models, Frameworks, Architectures, etc.**

None, it is expected that this standard will be used in closed systems.

**2.5 Recommended INCITS Development Technical Committee:** T10.

**2.6 Anticipated Frequency and Duration of Meetings**

Technical Committee T10 meets on a regularly scheduled basis (see <http://www.t10.org> for the current meeting schedule). Specific task ad hoc groups are called as required between the regular meetings but their results are not binding.

**2.7 Target Date for Initial Public Review (Milestone 4):** January 2009.

**2.8 Estimated Useful Life of Standard or Technical Report:** 5 Years.

### **3 Business Case for Developing the Proposed Standard or Technical Report**

#### **3.1 Description**

Automation/Drive Interface Commands – 3 is the next generation of Automation/Drive Interface Commands, following ADC and ADC-2.

The following items should be considered for inclusion in Standard Name:

- 1) SAM-4 and SPC-4 compliance;
- 2) Add UML diagrams to device server interaction clause;
- 3) Bridging Reservations;
- 4) Clarify support for security protocol parameters;
- 5) RMC device server acquisition of automation device's worldwide name and the DT device's element address;
- 6) Define operations in terms of physical device model;
- 7) Add Port\_Name and Node\_Name to DT Device Status log page Fibre Channel port status data;
- 8) Define processing of PREVENT ALLOW MEDIUM REMOVAL command by local SMC device server;
- 9) Automation control of encryption performed by data transfer device; and
- 10) Other capabilities that may fit within the scope of this project.

#### **3.2 Existing Practice and the Need for a Standard**

The proposed project involves a compatible evolution of the present ADC-2.

#### **3.3 Implementation Impacts of the Proposed Standard**

##### **3.3.1 Development Costs**

Members of T10 will provide the necessary resources. The T10 members will host the required meetings for development, provide for the necessary lab experiments, and provide the Technical Editor for the project.

### **3.3.2 Impact on Existing or Potential Markets**

This proposed project is intended to provide a more consistent interface between automation devices and removable medium devices. This ensures that investments in such solutions have a stable managed migration path in the face of technological development.

### **3.3.3 Costs and Methods for Conformity Assessment**

The committee will consider the results of testing as may be available to the committee through the voluntary efforts of the various participants in T10. With this method all costs are borne by the organizations of the various participants and have for the most part been mainly an adjunct of their normal development costs.

### **3.3.4 Return on Investment**

ROI information is considered proprietary data by the member organizations, but members have stated that the ROI is expected to be large.

## **3.4 Legal Considerations**

### **3.4.1 Patent Assertions**

Calls will be made to identify assertions of patent rights in accordance with the relevant INCITS, ANSI, and ISO/IEC policies and procedures.

### **3.4.2 Dissemination of the Standard or Technical Report**

Drafts of this document will be disseminated electronically. Dissemination of the final standard will be restricted, as the document becomes property of INCITS, ANSI, and/or ISO/IEC.

## **4 Related Standards Activities**

### **4.1 Existing Standards:**

<b>ID Number</b>	<b>Title</b>
ISO/IEC 14776	Multipart SCSI standard
INCITS 416-2006	Fibre Channel Protocol – 3 (FCP-3)
INCITS 366-2003	SCSI Architecture Model - 2 (SAM-2)
INCITS 402-2005	SCSI Architecture Model - 3 (SAM-3)
INCITS 376-2003	Serial Attached SCSI (SAS)
INCITS 417-2006	Serial Attached SCSI - 1.1 (SAS-1.1)
INCITS 351-2001	SCSI Primary Commands - 2 (SPC-2)
INCITS 408-2005	SCSI Primary Commands - 3 (SPC-3)

### **4.2 Related Standards Activity**

<b>ID Number</b>	<b>Title</b>
------------------	--------------

T10/1741-D	Automation/Drive Interface Commands – 2 (ADC-2)
T10/1742-D	Automation/Drive Interface Transport Protocol -2 (ADT-2)
T10/1828-D	Fibre Channel Protocol – 4 (FCP-4)
T10/1683-D	SCSI Architecture Model - 4 (SAM-4)
T10/1760-D	Serial Attached SCSI – 2 (SAS-2)
T10/1729-D	SCSI Primary Commands - 4 (SPC-4)

### **4.3 Recommendations for Close Liaison**

None.

### **5 Units of Measurement used in the Standard**

The International System of Units (SI) units will be used.