

**TO:** T10 Membership  
**FROM:** Paul A. Suhler, Quantum Corporation  
**DATE:** 5 May 2008  
**SUBJECT:** T10/08-148r0, ADT-2: Support QUERY TASK SET Task Management Function

**1 Revisions**

0 Initial revision (5 May 2008) against ADT-2 rev. 5.

**2 General**

HP proposals 07-066 and 07-067 added the QUERY TASK SET and QUERY UNIT ATTENTION (later renamed QUERY ASYNCHRONOUS EVENT) task management functions (TMFs) to SPC-4, SAS-2, and FCP-4. At the 5 May 2008 meeting of the ADI working group, it was decided to add only QUERY TASK SET to ADT-2.

**3 Proposed Changes**

**3.1 Clause 7.1.3, Table 24**

Insert the following rows and modify the last row as follows:

Value	Description
81h	QUERY TASK SET
<del>81h</del> 82h – FFh	Reserved

**3.2 Clause 8.1**

Add two items to the lettered list as follows:

- e) Service Response = **LOGICAL UNIT RESET (IN (I\_T\_L Nexus));** ~~and~~
- f) Service Response = **QUERY TASK (IN (Nexus));** ~~and~~
- g) Service Response = **QUERY TASK SET (IN (I\_T\_L Nexus)).**

**3.3 Table 30**

Modify the lower left cell of Table 30 as follows:

Remote procedure call	Type of transport protocol service	Transport protocol service interaction	Transport protocol service	I/T <sup>a</sup>	ADT-2 implementation	Subclause
ABORT TASK, ABORT TASK SET, CLEAR ACA, CLEAR TASK SET, LOGICAL UNIT RESET, <b>and</b> QUERY TASK, <b>and</b> <b>QUERY TASK SET.</b>	(no change)	(no change)	(no change)	(no change)	(no change)	(no change)

**3.4 Clause 8.3.1, Table 44**

Modify the last row of the table as follows:

Argument	ADT Implementation
Function Identifier	... e) LOGICAL UNIT RESET (Nexus argument specifies an I_T_L Nexus); <del>and</del> f) QUERY TASK (Nexus argument specifies an I_T_L_Q Nexus); <del>and</del> <b>g) QUERY TASK SET (Nexus argument specifies an I_T_L Nexus).</b>