

Date: July 21, 1998

To: T10 Committee (SCSI)

From: George Penokie (IBM)

Subject: Persistent Reservations

0.0.1 The Persistent Reservations management method

The Persistent Reservations management method is used among multiple initiators that require operations to be protected across initiator failures, which usually involve hard resets. Persistent reservations persist across recovery actions, to provide initiators with more detailed control over reservations recovery. Persistent reservations for failing initiators may be preempted by another initiator as part of the recovery process. Persistent reservations are retained by the device server until released, preempted, or until cleared by mechanisms specified in this standard. Persistent reservations are optionally retained when power to the target is lost.

Since persistent reservations are not reset by the TARGET RESET task management function or other global actions, they may be used to enforce device sharing among multiple initiators. The PERSISTENT RESERVE OUT and PERSISTENT RESERVE IN commands provide the basic mechanism for dynamic contention resolution in multiple initiator systems using multiple port targets. The identification of persistent reservations using the reservation key makes it possible to determine which ports hold conflicting persistent reservations and to take over persistent reservations from failing or uncooperative initiators.

Persistent reservation service actions that require access to the persistent reservation and registration information may require accessing a nonvolatile memory within the logical unit. If the nonvolatile memory is not ready, the device server shall return CHECK CONDITION status. The sense key shall be set to NOT READY and the additional sense data shall be set as described in the TEST UNIT READY command (see 7.24).

0.0.1.1 Preserving persistent reservations across power cycles

The application client may request the device server to preserve the persistent reservation and registration keys across power cycles by requesting the Persist Through Power Loss (APTPL) capability. The application client may request this as part of registration by setting the APTPL bit to one.

After the application client enables the APTPL capability the device server shall preserve all further registrations and persistent reservations associated with the logical unit that the REGISTER service action was addressed to until an application client disables the APTPL capability. The most recently received valid APTPL value from any application client shall govern logical unit's behavior in the event of power loss.

The capability of preserving persistent reservations and registration keys requires the use of a nonvolatile memory within the logical unit. If the nonvolatile memory is not accessible at the time that a PERSISTENT RESERVE OUT command attempts to activate the Persist Through Power Loss (APTPL) capability, the device server shall return CHECK CONDITION status. The sense key shall be set to NOT READY and the additional sense data shall be set as described in the TEST UNIT READY command (see 7.24).

0.0.1.2 Finding previous persistent reservations and reservation keys

The application client can obtain information about the persistent reservation and the reservation keys that are active within a device server by issuing PERSISTENT RESERVE IN commands with a READ KEY service action or a READ RESERVATION service action.

0.0.1.2.1 Reservation keys

To determine if any initiators have registered with a device server the application client shall:

- a) Issue a PERSISTENT RESERVE IN command with a service action of READ KEYS.

In response to a persistent reservation read keys request from an initiator the device server shall report the following if there are any registered initiators:

- a) the current generation counter value; and
- b) all the registered reservation keys.

The Generation value allows the application client examining the generation value to verify that the configuration of the initiators attached to a logical unit has not been modified by another application client without the knowledge of the examining application client.

A reservation key is the registered reservation key under which the reservation is held. The relationship between a reservation key and the initiator or port is outside the scope of this standard.

Each reservation key may be examined by the application client and correlated with a set of initiators and SCSI ports by mechanisms outside the scope of this standard. Duplicate keys are possible, if multiple initiators use the same reservation key, however, multiple keys are not registered to a single initiator.

0.0.1.2.2 Reporting Persistent reservations

To determine if a persistent reservation is active and information about any persistent reservations on a device server the application Client shall:

- a) Issue a PERSISTENT RESERVE IN command with a service action of READ RESERVATION.

In response to a persistent reservation read reservation request from an initiator the device server shall report the following if a persistent reservation is active:

- a) the current generation counter value;
- b) the registered reservation key associated with the initiator that holds the active persistent reservation; and
- c) the scope and type of the active persistent reservation.

Since initiators use unique reservation keys, the application should be able to associate the reservation key with the initiator that holds the reservation. This association is done using techniques that are outside the scope of this standard.

0.0.1.3 Registering

To establish a persistent reservation the initiator must first register with a device server. This is accomplished by:

- a) issuing a PERSISTENT RESERVE OUT command with service action of REGISTER;
- b) optionally setting the APTPL bit; and
- c) setting a reservation key which the device server retains and maps to the registering initiator.

The device server shall process the registration request regardless of any active persistent reservations and shall register the reservation key without generating any persistent reservations. After the registration request has been processed the device server shall then allow other PERSISTENT RESERVE OUT commands from the registered initiator to execute.

For each initiator that performs a PERSISTENT RESERVE OUT with a REGISTER service action, the device server shall retain the reservation key until the key is changed by a new PERSISTENT RESERVE OUT command with the REGISTER service action from the same initiator or until the initiator registration is removed by one of the following actions:

- a) powering down the logical unit, if the last APTPL received by the device server was zero (see 0.2.2);
- b) performing a CLEAR service action;
- c) performing a PREEMPT service action;
- d) performing a PREEMPT AND ABORT service action; or
- e) performing a REGISTER service action from the same initiator with the value of the Service action Reservation key field set to zero.

Editors Note 1 - GOP: In the case where an initiator the holds the reservation unregisters the reservation should be released!?! And if this is the case then the released persistent reservation is of the type write exclusive, registrants only or exclusive access, registrants only the device server establishes a unit attention condition for all the other registered initiators. The sense key shall be set to UNIT ATTENTION and the additional sense data shall be set to RESERVATIONS RELEASED.

When a reservation key has been removed, no information shall be reported for ~~the initiator that unregistered initiator~~ in the READ KEYS service action.

Any PERSISTENT RESERVE OUT command service action received by an unregistered initiator, other than the REGISTER service action, results in the command being rejected with a RESERVATION CONFLICT status.

It is not an error for an initiator that is registered to reregister with the same reservation key or a new reservation key.

It is not an error for the same reservation key to be registered to multiple initiators, however, multiple keys shall not be registered to a single initiator.

0.0.1.4 Creating a persistent reservation when there is no persistent reservation

An application client creates a persistent reservation by doing the following:

- a) issuing a PERSISTENT RESERVE OUT command with a service action of RESERVE through a registered initiator; and
- b) setting the reservation key of the registered initiator and the type and scope of the reservation being created.

Only one persistent reservation at a time per logical unit or element is allowed. If the target receives a PERSISTENT RESERVE OUT command that attempts to create a persistent reservation when a persistent reservation already exists for the logical unit then the command shall be rejected with a RESERVATION CONFLICT status.

Editors Note 2 - GOP: The above paragraph prevents an initiator from issuing a persistent reservation when a persistent reservation already exists even if that initiator holds the persistent reservation. In the normal reservation this is allowed. Is this what we want?

A persistent reservation shall ~~be tested for conflicts with other persistent reservations as described above and shall~~ take effect when the task executing the PERSISTENT RESERVE OUT command enters the enabled task state.

0.0.1.5 Removing persistent reservations

An initiator may remove a persistent reservation by issuing one of the following commands:

- a) a PERSISTENT RESERVE OUT command with a service action of RELEASE (see clause 0.0.1.5.1);
- b) a PERSISTENT RESERVE OUT command with a PREEMPT service action (see clause 0.0.1.5.2.1);
- c) a PERSISTENT RESERVE OUT command with a PREEMPT AND ABORT service action (see clause 0.0.1.5.2.2); or
- d) a PERSISTENT RESERVE OUT command with a service action of CLEAR service action (see clause 0.0.1.5.3).

0.0.1.5.1 Releasing a persistent reservation

Only the initiator that creates the persistent reservation is allowed to release that persistent reservation regardless of the type of persistent reservation.

An application client removes an active persistent reservation by doing the following:

- a) Issuing a PERSISTENT RESERVE OUT command with a service action of RELEASE through the registered initiator that holds the persistent reservation; and
- b) Setting the reservation key of the registered initiator and the type and scope to match the persistent reservation being released.

In response to a persistent reservation release request from an initiator that created the persistent reservation the device server shall perform a release by doing the following:

- a) Removing the active persistent reservation; and
- b) not removing any registration key(s).
- c) If the released persistent reservation is of the type write exclusive, registrants only or exclusive access, registrants only the device server establishes a unit attention condition for all the other registered initiators. The sense key shall be set to UNIT ATTENTION and the additional sense data shall be set to RESERVATIONS RELEASED.

Editors Note 3 - GOP: RESERVATIONS RELEASED is a new ASCQ.

- d) If the persistent reservation is of any other type the device server establishes no unit attention condition.

In response to a persistent reservation release request from an initiator that does not hold the persistent reservation or if there is no active persistent reservation the device server shall do the following:

- a) Not remove the persistent reservation (if any);
- b) not remove or change any registration key(s); and
- c) return a status of GOOD.

An active persistent reservation may also be released by either of the following mechanisms:

- a) Power off. When the most recent APTPL value received by the device server is zero (see 0.2.2), a power off performs a hard reset, clears all persistent reservations, and removes all registered reservation keys (see 0.2.1.1); or
- b) Execution of a PERSISTENT RESERVE OUT command from another initiator with a Persistent Reserve service action of PREEMPT, PREEMPT AND ABORT, or CLEAR.

A RELEASE service action should not be performed if any operations interlocked by the persistent reservation are not yet complete.

0.0.1.5.2 Preempting an existing persistent reservation

0.0.1.5.2.1 PREEMPT service action

Any registered initiator may preempt any persistent reservation with another persistent reservation by doing the following:

- a) issuing a PERSISTENT RESERVE OUT command with a PREEMPT service action through a registered initiator;
- b) setting the Service action reservation key to match the reservation key of the persistent reservation being preempted; and
- c) setting the type and scope of the new persistent reservation. The scope and type of the persistent reservation created by preempting initiator may be different than the persistent reservation being preempted.

In response to this request the device server shall perform a preempt by doing the following:

- a) removes the persistent reservation for the initiator identified by the Service action reservation key specified in the PERSISTENT RESERVE OUT parameter list;
- b) remove all registration keys that match the Service action reservation key specified in the PERSISTENT RESERVE OUT parameter list (see 0.2.1.1);
- c) establish a persistent reservation for the preempting initiator;
- d) continue normal execution of any commands from any initiator that were accepted by the device server as nonconflicting when the old persistent reservation was active; and

Editors Note 4 - GOP: The fact that you allow old commands to execute under the old reservation implies that the only sane way to do this is to treat the preempt as an ordered command. This means that if there is a stuck host, I may never get to this command. This is a deadlock condition. We can solve this by putting all of the commands under the new reservation. Is this desirable or even acceptable?

- e) establish a unit attention condition for any initiator that lost it's registration. The sense key shall be set to UNIT ATTENTION and the additional sense data shall be set to RESERVATIONS PREEMPTED.

Subsequent commands are subject to the persistent reservation restrictions established by the preempting initiator.

It shall not be an error to send a PERSISTENT RESERVE OUT specifying a PREEMPT service action when no persistent reservation exists for the initiator identified by the Service action Reservation key. In the case where no persistent reservation exists the device server shall establish the requested persistent reservation.

Editors Note 5 - GOP: Why is this not an error? If I try to preempt something that does not exist, it seems as though I am not very smart. I am trying to take over an old reservation, yet I don't know that it did not exist???

If a PERSISTENT RESERVE OUT specifying a PREEMPT service action sets the Service action reservation key to a value that does not match any registered reservation key the device server shall return a RESERVATION CONFLICT status.

If a PERSISTENT RESERVE OUT specifying a PREEMPT service action sets the Service action reservation key to a value equal to the Reservation key the device server shall return a RESERVATION CONFLICT status.

Editors Note 6 - GOP: The above paragraph prevents an initiator from preempting itself. If we allow this behavior that we get into a case where there is a reservation but no initiator holds that reservation. The reason no one holds the reservation is because the key of the preempted initiator is cleared therefore the preempting initiator now has no key because they are one in the same.

0.0.1.5.2.2 PREEMPT AND ABORT service action

The initiators requests for and device server responses to a PERSISTENT RESERVE OUT command PREEMPT AND ABORT service action are identical to the PREEMPT service action (clause 0.0.1.5.2.1). In addition the device server shall do the following.

Every command from the preempted initiator shall be terminated as if an ABORT TASK task management function had been performed by the preempted initiator. If the key is registered and no persistent reservation exists for the initiator identified by the Service action reservation key the abort portion of the action shall execute normally.

Subsequent new commands and retries of commands that timed out because they were aborted are subject to the persistent reservation restrictions established by the preempting initiator.

The device server shall clear any ACA or CA condition associated with the initiator being preempted and shall clear any tasks with an ACA attribute from that initiator and return a status of GOOD. If TST=000b (see 8.3.4), then ACA or CA conditions for initiators other than the initiator being preempted shall prevent the execution of the PERSISTENT RESERVE OUT task. which shall end with a status of ACA ACTIVE if NACA=1 (see SAM), or BUSY if NACA=0. If TST=001b, then ACA or CA conditions for initiators other than the initiator being preempted shall not prevent the execution of the PERSISTENT RESERVE OUT task.

Any Asynchronous Event Reporting operations in progress that were initiated by the device server are not affected by the Preempt and Abort service action.

0.0.1.5.3 Clearing a persistent reservation

Any application client may clear a persistent reservation and all registrations from a device server for a specific logical unit by doing the following:

- a) Issuing a PERSISTENT RESERVE OUT command with a service action of CLEAR service action through a registered initiator;

In response to this request the device server shall perform a clear by doing the following:

- a) Remove the any persistent reservation associated with the logical unit;
- b) remove all registration key(s) (see 0.2.1.1);
- c) continue normal execution of any commands from any initiator that have been accepted by the device server as nonconflicting; and
- d) establish a Unit Attention condition for all initiators for the cleared logical unit. The sense key shall be set to UNIT ATTENTION and the additional sense data shall be set to RESERVATION CLEARED.

Editors Note 7 - GOP: RESERVATION CLEARED is a new ASCQ.

Application clients should not use the Clear service action except during recoveries that are associated with initiator or system reconfiguration, since data integrity may be compromised.

0.1 PERSISTENT RESERVE IN command

The PERSISTENT RESERVE IN command (see table 1) is used to obtain information about persistent reservations and reservation keys that are active within a device server. This command is used in conjunction with the PERSISTENT RESERVE OUT command (see 0.2).

Table 1 — PERSISTENT RESERVE IN command

Bit Byte	7	6	5	4	3	2	1	0
0	Operation code (5Eh)							
1	Reserved			Service action				
2	Reserved							
3	Reserved							
4	Reserved							
5	Reserved							
6	Reserved							
7	(MSB)	Allocation length						(LSB)
8								
9	Control							

When a device server receives a PERSISTENT RESERVE IN command and RESERVE(10) or RESERVE(6) logical unit or extent reservations or SMC element reservations are active (see 7.21), the command shall be rejected with a RESERVATION CONFLICT status. A PERSISTENT RESERVE IN command shall not conflict with any persistent reservation.

The actual length of the PERSISTENT RESERVE IN parameter data is available in a parameter data field. The Allocation length field in the CDB indicates how much space has been reserved for the returned parameter list. If the length is not sufficient to contain the entire parameter list, the first portion of the list shall be returned. This shall not be considered an error. If the remainder of the list is required, the application client should send a new PERSISTENT RESERVE IN command with a Allocation length field large enough to contain the entire list.

0.1.1 PERSISTENT RESERVE IN Service Actions

~~Service actions that require access to the persistent reservation and registration information may require the enabling of accessing a nonvolatile memory within the logical unit. If the nonvolatile memory is not ready, the device server shall return CHECK CONDITION status. The sense key shall be set to NOT READY and the additional sense data shall be set as described in the TEST UNIT READY command (see 7.24).~~

Editors Note 8 - GOP: The above paragraph has been moved to the model.

The Service action codes for the PERSISTENT RESERVE IN command are defined in table 2.

Table 2 — PERSISTENT RESERVE IN Service action codes

Code	Name	Description
00h	Read Keys	Reads all registered Reservation Keys
01h	Read Reservations	Reads all the current persistent reservations
02h - 1Fh	Reserved	Reserved

0.1.1.1 Read Keys

The Read Keys service action requests that the device server return a parameter list containing a header and a complete list of all reservation keys currently registered with the device server. If multiple initiators have registered with the same key, then that key value shall be listed multiple times, once for each such registration. The keys may have been passed by a PERSISTENT RESERVE OUT command that has performed a Register service action. ~~The relationship between a reservation key and the initiator or port is outside the scope of this standard.~~

Editors Note 9 - GOP: The above crossed out sentence has been moved to the model.

0.1.1.2 Read Reservations

The Read Reservations service action requests that the device server return a parameter list containing a header and ~~a complete list of all unique~~ the persistent reservations that ~~are~~ is presently active in the device server. ~~and its extents. (Duplicate persistent reservations from the same initiator shall not be reported.)~~

0.1.2 PERSISTENT RESERVE IN parameter data for Read Keys

The format for the parameter data provided in response to a PERSISTENT RESERVE IN command with the Read Keys service action is shown in table 3.

Table 3 — PERSISTENT RESERVE IN parameter data for Read Keys

Bit Byte	7	6	5	4	3	2	1	0
0	(MSB)	Generation						(LSB)
3								
4	(MSB)	Additional length (n-7)						(LSB)
7								
		Reservation key list						
8	(MSB)	First reservation key						(LSB)
15								
			.	.	.			
n-7	(MSB)	Last reservation key						(LSB)
n								

The Generation value is a 32-bit counter in the device server that shall be incremented every time a PERSISTENT RESERVE OUT command requests a Register, a Clear, a Preempt, or a Preempt and Abort service action operation. The counter shall not be incremented by a PERSISTENT RESERVE IN command, by a PERSISTENT RESERVE OUT command that performs a Reserve or Release service action, or by a PERSISTENT RESERVE OUT command that is not performed due to an error or reservation conflict. Regardless of the APTPL value the Generation value shall be set to 0 as part of the power on reset process.

~~The Generation value allows the application client examining the generation value to verify that the configuration of the initiators attached to a logical unit has not been modified by another application client without the knowledge of the examining application client.~~

Editors Note 10 - GOP: The above paragraph has been moved to the model.

The Additional length field contains a count of the number of bytes in the Reservation key list. If the Allocation length specified by the PERSISTENT RESERVE IN command is not sufficient to contain the entire parameter list, then only the bytes from 0 to the maximum allowed Allocation length shall be sent to the application client. The remaining bytes shall be truncated, although the Additional length field shall still contain the actual number of bytes in the reservation key list without consideration of any truncation resulting from an insufficient Allocation length. This shall not be considered an error.

The Reservation key list contains all the 8-byte reservation keys registered with the device server through PERSISTENT RESERVE OUT Reserve, Preempt, Preempt and Abort, or a Register service actions. ~~Each reservation key may be examined by the application client and correlated with a set of initiators and SCSI ports by mechanisms outside the scope of this standard. Duplicate keys are possible, if multiple initiators use the same reservation key.~~

Editors Note 11 - GOP: The above crossed out text has been moved to the model.

0.1.3 PERSISTENT RESERVE IN parameter data for Read Reservations

The format for the parameter data provided in response to a PERSISTENT RESERVE IN command with the Read Reservations service action is shown in table 4.

Table 4 — PERSISTENT RESERVE IN parameter data for Read Reservations

Bit Byte	7	6	5	4	3	2	1	0
0	(MSB) _____							
3	Generation							(LSB)
4	(MSB) _____							
7	Additional length (0 or 16-n-7)							(LSB)
8	(MSB) _____							
15	Reservation key							(LSB)
16	(MSB) _____							
19	Scope-specific address							(LSB)
20	Reserved							
21	Scope				Type			
22	Reserved							
23	Reserved							

The Generation field shall be as defined for the PERSISTENT RESERVE IN Read Keys parameter data (see 0.1.2).

The Additional length field contains a count of the number of bytes to follow in the parameter list. ~~of Reservation descriptors~~. If the Allocation length specified by the PERSISTENT RESERVE IN command is not sufficient to contain the entire parameter list, then only the bytes from 0 to the maximum allowed Allocation length shall be sent to the application client. The remaining bytes shall be truncated, although the Additional length field shall still contain the actual number of bytes ~~of Reservation descriptors~~ and shall not be affected by the truncation. This shall not be considered an error.

Editors Note 12 - GOP: The question is can there be more than one element per LUN and if so can there be a reservation for each element? If yes to both then there can indeed be more than one reservation per LUN in such a system so we need to put the descriptor back in.

The format of a single read Reservation descriptor is defined in table 5. There shall be one read Reservation descriptor for each unique persistent reservation held on the logical unit by any initiator. (Duplicate persistent reser-

Table 5 — PERSISTENT RESERVE IN Read Reservations Descriptor

Bit Byte	7	6	5	4	3	2	1	0
0	(MSB)							
7	Reservation key							(LSB)
8	(MSB)							
11	Scope-specific address							(LSB)
12	Reserved							
13	Scope				Type			
14	(MSB)							
15	Extent length							(LSB)

ervations from the same initiator shall not be reported.)

For each unique if a persistent reservation is held on the logical unit, there shall be a read-reservation information descriptor presented in the list of parameter data returned by the device server in response to the PERSISTENT RESERVE IN command with a Read Reservations action. The reservation information descriptor shall contain the Reservation Key under which the persistent reservation is held. The Type and Scope of the persistent reservation as present in the PERSISTENT RESERVE OUT command that created the persistent reservation shall be returned (see 0.1.3.1 and 0.1.3.2). Duplicate Reservation descriptors are possible, if multiple initiators use the same reservation key.

Reservation key is the registered reservation key under which the reservation is held. Since initiators use unique keys, then the application should be able to associate the reservation key with the initiator that holds the reservation. This association is done using techniques that are outside the scope of this standard.

Editors Note 13 - GOP: The above paragraph has been moved to the model.

If the Scope is an Extent reservation, the Scope-specific address field shall contain the LBA of the first block of the extent and the Extent length field shall contain the number of blocks in the extent. If the Scope is an Element reservation, the Scope-specific address field shall contain the Element address, zero filled in the most significant bytes to fit the field, and the Extent length field shall be set to zero. If the Scope is a Logical Unit reservation, both the Scope-specific address and Extent length fields shall be set to zero.

0.1.3.1 Persistent Reservations Scope

The value in the Scope field shall indicate whether a persistent reservation applies to an entire logical unit, ~~to a portion of the logical unit defined as an extent,~~ or to an element. The values in the Scope field are defined in table 6.

Table 6 — Persistent Reservation Scope Codes

Code	Name	Description
0h	LU	Persistent reservation applies to the full logical unit
1h	Extent <u>Reserved</u>	Persistent reservation applies to the specified extent <u>Reserved</u>
2h	Element	Persistent reservation applies to the specified element
3h - Fh	Reserved	Reserved

0.1.3.1.1 LU Scope

A Scope field value of LU shall indicate that the persistent reservation applies to the entire logical unit. The LU scope shall be implemented by all device servers that implement PERSISTENT RESERVE OUT.

0.1.3.1.2 Extent Scope

~~A Scope field value of Extent shall indicate that the persistent reservation applies to the extent of the logical unit defined by the Scope-specific address and Extent length fields in the PERSISTENT RESERVE OUT parameter list. An extent is defined only for devices defining contiguous logical block addresses. The Extent scope is optional for all device servers that implement PERSISTENT RESERVE OUT. The number of extents that may be reserved for a logical unit is vendor-specific.~~

0.1.3.1.3 Element Scope

A Scope field value of Element shall indicate that the persistent reservation applies to the element of the logical unit defined by the Scope-specific address field in the PERSISTENT RESERVE OUT parameter list. An element is defined by the SCSI-3 Medium Changer Commands (SMC) standard. The Element scope is optional for all device servers that implement PERSISTENT RESERVE OUT.

0.1.3.2 Persistent Reservations Type

The value in the Type field shall specify the characteristics of the persistent reservation being established for all data blocks within the element or within the logical unit. Table 7 defines the characteristics of the ~~five~~ different type values. For each persistent reservation type, table 7 lists code value and describes the required device server support. In table 7, the description of required device server support is divided into ~~two~~ three paragraphs. The first paragraph defines the required handling for read operations. The second paragraph defines the required handling

for write operations. ~~The third paragraph defines the handling for subsequent attempts to establish persistent~~

reservations.

Table 7 — Persistent Reservation Type Codes (part 1 of 3)

Code	Name	Description
0h	Read Shared Reserved	<p>Reads Shared: Any application client on any initiator may execute commands that perform transfers from the storage medium or cache of the logical unit to the initiator.</p> <p>Writes Prohibited: Any command from any initiator that performs a transfer from the initiator to the storage medium or cache of the logical unit shall result in a reservation conflict.</p> <p>Additional Reservations Allowed: Any initiator may reserve the logical unit or extents or elements as long as the persistent reservations do not conflict with any reservations that are already known to the device server. See table 8.</p> <hr/> <p>Editors Note 14 - GOP: Of no value. Defines the case where any initiator can read but no initiator can write. This is true regardless of which initiator holds the reservation.</p>
1h	Write Exclusive	<p>Reads Shared: Any application client on any initiator may execute commands that perform transfers from the storage medium or cache of the logical unit to the initiator.</p> <p>Writes Exclusive: Any command from any initiator other than the initiator holding the persistent reservation that performs a transfer from the initiator to the storage medium or cache of the logical unit shall result in a reservation conflict.</p> <p>Additional Reservations Allowed: Any initiator may reserve the logical unit or extents or elements as long as the persistent reservations do not conflict with any reservations that are already known to the device server. See table 8.</p>
2h	Read Exclusive Reserved	<p>Reads Exclusive: Any command from any initiator other than the initiator holding the persistent reservation that performs a transfer from the storage medium or cache of the logical unit to the initiator shall result in a reservation conflict.</p> <p>Writes Shared: Any application client on any initiator may execute commands that perform transfers from the initiator to the storage medium or cache of the logical unit.</p> <p>Additional Reservations Allowed: Any initiator may reserve the logical unit or extents or elements as long as the persistent reservations do not conflict with any reservations that are already known to the device server. See table 8.</p> <hr/> <p>Editors Note 15 - GOP: Of no value. Defines the case where only the initiator holding the reservation can read but any initiator can write.</p>

Table 7 — Persistent Reservation Type Codes (part 2 of 3)

Code	Name	Description
3h	Exclusive Access	<p>Reads Exclusive: Any command from any initiator other than the initiator holding the persistent reservation that performs a transfer from the storage medium or cache of the logical unit to the initiator shall result in a reservation conflict.</p> <p>Writes Exclusive: Any command from any initiator other than the initiator holding the persistent reservation that performs a transfer from the initiator to the storage medium or cache of the logical unit shall result in a reservation conflict.</p> <p>Additional Reservations Restricted: Any Persistent Reserve Out command with the Reserve service action from any initiator other than the initiator holding the persistent reservation shall result in a reservation conflict. The initiator that holds the persistent reservation may reserve the logical unit or extents or elements as long as the persistent reservations do not conflict with any reservations that are already known to the device server. See table 8.</p>
4h	Shared Access Reserved	<p>Reads Shared: Any application client on any initiator may execute commands that perform transfers from the storage medium or cache of the logical unit to the initiator.</p> <p>Writes Shared: Any application client on any initiator may execute commands that perform transfers from the initiator to the storage medium or cache of the logical unit.</p> <p>Additional Reservations Restricted: Any Persistent Reserve Out command with the Reserve service action from any initiator other than the initiator holding the persistent reservation shall result in a reservation conflict. The initiator that holds the persistent reservation may reserve the logical unit or extents or elements as long as the persistent reservations do not conflict with any reservations that are already known to the device server. See table 8.</p> <hr/> <p>Editors Note 16 - GOP: This is of no value. It defines the case where there is no reservation. (i.e. any initiator can read or write regardless of reservation).</p>
5h	Write Exclusive, Registrants Only	<p>Reads Shared: Any application client on any initiator may execute commands that perform transfers from the storage medium or cache of the logical unit to the initiator.</p> <p>Writes Exclusive: Any command from an initiator that has not previously performed a Register service action with the device server that performs a transfer to the storage medium or cache of the logical unit, shall result in a reservation conflict.</p> <p>Additional Reservations Allowed: Any initiator may reserve the logical unit or extents or elements as long as the persistent reservations do not conflict with any reservations that are already known to the device server. See table 8.</p>

Table 7 — Persistent Reservation Type Codes (part 3 of 3)

Code	Name	Description
6h	Exclusive Access, Registrants Only	<p>Reads Exclusive: Any command from an initiator that has not previously performed a Register service action with the device server that performs a transfer from the storage medium or cache of the logical unit, shall result in a reservation conflict.</p> <p>Writes Exclusive: Any command from an initiator that has not previously performed a Register service action with the device server that performs a transfer to the storage medium or cache of the logical unit, shall result in a reservation conflict.</p> <p>Additional Reservations Allowed: Any initiator may reserve the logical unit or extents or elements as long as the persistent reservations do not conflict with any reservations that are already known to the device server. See table 8.</p>
7h - Fh	Reserved	

Table 8 — New Persistent Reservation Conflicts With Existing

Persistent Reservation That Is Being Attempted	Persistent Reservation That is Held														
	Read-Shared		Write-Exclusive		Read-Exclusive		Exclusive Access †		Shared Access †		Write-Exclusive RO		Exclusive Access-RO		
	LU	EX	LU	EX	LU	EX	LU	EX	LU	EX	LU	EX	LU	EX	
Read-Shared	LU	N	N	Y	Y	Y	Y	Y	Y	N	N	Y	Y	Y	Y
	EX	N	N	Y	Ø	Y	Ø	Y	Ø	N	N	Y	Ø	Y	Ø
Write-Exclusive	LU	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	EX	Y	Ø	Y	Ø	Y	Ø	Y	Ø	Y	Ø	Y	Ø	Y	Ø
Read-Exclusive	LU	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	EX	Y	Ø	Y	Ø	Y	Ø	Y	Ø	Y	Ø	Y	Ø	Y	Ø
Exclusive Access †	LU	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	EX	Y	Ø	Y	Ø	Y	Ø	Y	Ø	Y	Ø	Y	Ø	Y	Ø
Shared Access †	LU	N	N	Y	Y	Y	Y	Y	Y	N	N	Y	Y	Y	Y
	EX	N	N	Y	Ø	Y	Ø	Y	Ø	N	N	Y	Ø	Y	Ø
Write-Exclusive RO	LU	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N
	EX	Y	Ø	Y	Ø	Y	Ø	Y	Ø	Y	Ø	N	N	N	N
Exclusive Access-RO	LU	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N
	EX	Y	Ø	Y	Ø	Y	Ø	Y	Ø	Y	Ø	N	N	N	N

Key:

- LU = Logical Unit scope
- EX = Extent or Element scope
- RO = Registrants Only
- † = Conflicts with all reservation requests from other initiators
- N = no conflict
- Y = conflict
- Ø = conflict occurs if extent or element overlaps with existing extent or element reservation

0.2 PERSISTENT RESERVE OUT command

The PERSISTENT RESERVE OUT command (see table 9) is used to reserve a logical unit or an extent within a logical unit or element for the exclusive or shared use of a particular initiator. The command shall be used in conjunction with the PERSISTENT RESERVE IN command and shall not be used with the RESERVE and RELEASE commands.

Persistent reservations shall conflict with reservations established by the RESERVE command. Initiators performing PERSISTENT RESERVE OUT Service actions are identified by a reservation key provided by the application client. An application client may use the PERSISTENT RESERVE IN command to identify which initiators are holding conflicting or invalid persistent reservations and use the PERSISTENT RESERVE OUT command to preempt those that reservations if required.

Only one persistent reservation shall be in effect per logical unit or element. Any attempt to create another persistent reservation using a persistent reservation out command shall return a RESERVATION CONFLICT status except as noted below.

Since persistent reservations are not reset by the TARGET RESET task management function or other global actions, they may be used to enforce device sharing among multiple initiators. The PERSISTENT RESERVE OUT and PERSISTENT RESERVE IN commands provide the basic mechanism for dynamic contention resolution in multiple initiator systems using multiple port targets. The identification of persistent reservations using the reservation key makes it possible to determine which ports hold conflicting persistent reservations and to take over persistent reservations from failing or uncooperative initiators.

Editors Note 17 - GOP: The above two paragraphs have been moved to the model.

Table 9 — PERSISTENT RESERVE OUT command

Bit Byte	7	6	5	4	3	2	1	0	
0	Operation code (5Fh)								
1	Reserved			Service action					
2	Scope				Type				
3	Reserved								
4	Reserved								
5	Reserved								
6	Reserved								
7	(MSB)	Parameter list length (18h)							
8								(LSB)	
9	Control								

When a device server receives a PERSISTENT RESERVE OUT command and RESERVE(10) or RESERVE(6) logical unit or extent reservations or SMC element reservations are active (see 7.21), the command shall be rejected with a RESERVATION CONFLICT status.

~~A PERSISTENT RESERVE OUT command with any service action except REGISTER shall be rejected with RESERVATION CONFLICT status if the reserving initiator does not have a registered reservation key.~~

Editors Note 18 - GOP: The above paragraph have been moved to the model.

If a PERSISTENT RESERVE OUT command is attempted, but there are insufficient device server resources to complete the operation, the device server shall return a CHECK CONDITION status. The sense key shall be set to ILLEGAL REQUEST and the additional sense data shall be set to INSUFFICIENT REGISTRATION RESERVATION RESOURCES.

Editors Note 19 - GOP: Change the INSUFFICIENT RESERVATION RESOURCES ASCQ to INSUFFICIENT GEGISTRATION RESOURCES.

The PERSISTENT RESERVE OUT command contains fields that specify a persistent reservation Service action, the intended scope of the persistent reservation, and the restrictions caused by the persistent reservation. The Type and Scope fields are defined in 0.1.3.1 and 0.1.3.2. If a Scope field specifies a scope that is not implemented, the device server shall return a CHECK CONDITION status. The sense key shall be set to ILLEGAL REQUEST and additional sense data shall be set to INVALID FIELD IN CDB.

Fields contained in the PERSISTENT RESERVE OUT parameter list specify the reservation keys ~~and extent information~~ required to perform a particular persistent reservation Service action.

The parameter list shall be 24 bytes in length and the Parameter list length field shall contain 24 (18h). If the Parameter list length is not 24, the device server shall return a CHECK CONDITION status. The sense key shall be set to ILLEGAL REQUEST and the additional sense data shall be set to PARAMETER LIST LENGTH ERROR.

~~The capability of preserving persistent reservations and registration keys requires the use of a nonvolatile memory within the logical unit. If the nonvolatile memory is not accessible at the time that a PERSISTENT RESERVE OUT command attempts to activate the Persist Through Power Loss capability, the device server shall return CHECK CONDITION status. The sense key shall be set to NOT READY and the additional sense data shall be set as described in the TEST UNIT READY command (see 7.24).~~

Editors Note 20 - GOP: The above paragraph have been moved to the model.

0.2.1 PERSISTENT RESERVE OUT Service Actions

When processing the PERSISTENT RESERVE OUT service actions, the device server shall increment the generation value as specified in 0.1.2.

The PERSISTENT RESERVE OUT command Service actions are defined in table 10.

Table 10 — PERSISTENT RESERVE OUT Service action codes

Code	Name	Description
00h	Register	Register a reservation key with the device server
01h	Reserve	Create a persistent reservation using a reservation key
02h	Release	Release a persistent reservation
03h	Clear	Clear all reservation keys and all persistent reservations
04h	Preempt	Preempt persistent reservations from another initiator
05h	Preempt & abort	Preempt persistent reservations from another initiator and abort the task set for the preempted initiator
06h - 1Fh	Reserved	

0.2.1.1 Register

~~A PERSISTENT RESERVE OUT command with a service action of REGISTER shall not conflict with any persistent reservation by any initiator.~~

~~The PERSISTENT RESERVE OUT command executing a Register service action registers a reservation key with a device server without generating a reservation. For each initiator that performs a PERSISTENT RESERVE OUT Register service action, the device server shall retain the reservation key until the key is changed by a new PERSISTENT RESERVE OUT command with the Register service action from the same initiator or until the initiator registration is removed by one of the following actions:~~

- ~~a) powering down the logical unit, if the last APTPL received by the device server was zero (see 0.2.2);~~
- ~~b) performing a Clear service action;~~
- ~~c) performing a Preempt service action;~~
- ~~d) performing a Preempt and Abort service action; or~~
- ~~e) performing a Register service action from the same initiator with the value of the Service action Reservation key field set to zero.~~

~~When a reservation key has not yet been established or when the reservation key has been removed, the reservation key field shall be set to zero when the initiator performs a PERSISTENT RESERVE OUT with the REGISTER service action. When the reservation has been removed, no information shall be reported for the initiator in the Report Keys service action.~~

~~The Register service action shall be processed regardless of any active persistent reservations.~~

Editors Note 21 - GOP: The above cross-outs have been moved to the model.

~~Any All existing~~ persistent reservations for the initiator shall be updated to reflect the new reservation key. The device server shall ignore the contents of the Scope and Type fields.

0.2.1.2 Reserve

~~A PERSISTENT RESERVE OUT command with a service action of Reserve shall be rejected with RESERVATION CONFLICT status and the reservation shall not be made if there is an active persistent reservation on the addressed logical unit or element. the new reservation does not contain the same reservation key in the Service~~

Action Reservation key field (see table 11) as the existing reservation or conflicts in scope or type, or extent with any persistent reservation by any initiator at the time the PERSISTENT RESERVE OUT with Reserve service action is enabled for execution.

The PERSISTENT RESERVE OUT command performing a Reserve service action creates a persistent reservation having a specified scope and type. The scope and type of a persistent reservation are defined in 0.1.3.1 and 0.1.3.2.

Persistent reservations shall not be superseded by a new persistent reservation from any initiator except by execution of a PERSISTENT RESERVE OUT specifying either the Preempt service action, or Preempt and Abort service action. New persistent reservations that do not conflict with an existing persistent reservation shall be executed normally. The persistent reservation of a logical unit or the persistent reservation of extents having the same type value shall be permitted if no conflicting persistent reservations are held by another initiator. When such overlapping persistent reservations are released, each of the extent reservations and the logical unit reservation shall be removed with a separate Release service action. Multiple identical reservations from the same initiator shall all be simultaneously released by a single Release service action that matches the reservations.

A persistent reservation shall be tested for conflicts with other persistent reservations as described above and shall take effect when the task executing the PERSISTENT RESERVE OUT command enters the enabled task state.

Editors Note 22 - GOP: The above cross-outs have been moved to the model.

0.2.1.3 Release

A PERSISTENT RESERVE OUT command with a service action of Release shall not conflict with any persistent reservation by any initiator.

The PERSISTENT RESERVE OUT command performing a Release service action removes an active persistent reservation held by the same initiator. The fields associated with the Release service action shall match fields of the active persistent reservation. It shall not be an error to send a PERSISTENT RESERVE OUT specifying a Release service action when no persistent reservation exists from that initiator. In this case, the device server shall return GOOD status without altering any other reservation. The reservation key shall not be changed by the Release service action.

Editors Note 23 - GOP: The above paragraphs have been moved to the model.

The device server shall return a CHECK CONDITION status for a PERSISTENT RESERVE OUT command that specifies the release of a persistent reservation held by the requesting initiator matching some but not all of the scope, type, reservation key, and extent values. The sense key shall be set to ILLEGAL REQUEST and additional sense data shall be set to INVALID RELEASE OF ACTIVE PERSISTENT RESERVATION. Attempts to release persistent reservations where none of the scope, type, reservation key, and extent values match an existing persistent reservation held by the requesting initiator shall not be considered errors.

Editors Note 24 - GOP: What is the point of the strikethrough text above? This looks like a no-op why have this special condition?

An active persistent reservation may also be released by either of the following mechanisms:

- a) Power off. When the most recent APTPL value received by the device server is zero (see 0.2.2), a power off performs a hard reset, clears all persistent reservations, and removes all registered reservation keys (see 0.2.1.1); or
- b) Execution of a PERSISTENT RESERVE OUT command from another initiator with a Persistent Reserve service action of Preempt or Preempt and Abort.

A Release service action should not be performed if any operations interlocked by the persistent reservation are not yet complete.

Editors Note 25 - GOP: The above paragraphs have been moved to the model.

0.2.1.4 Clear

A PERSISTENT RESERVE OUT command with a service action of Clear shall not conflict with any persistent reservation by any initiator.

A PERSISTENT RESERVE OUT command with a Clear service action from a registered initiator shall cause the removal of The PERSISTENT RESERVE OUT command that successfully performs a Clear service action shall remove all persistent reservations for all initiators. All reservation keys shall be removed (see 0.2.1.1). Any commands from any initiator that have been accepted by the device server as nonconflicting shall continue normal execution.

A Unit Attention condition shall be established for all initiators for the cleared logical unit. The sense key shall be set to UNIT ATTENTION and the additional sense data shall be set to RESERVATIONS PREEMPTED.

Application clients should not use the Clear service action except during recoveries that are associated with initiator or system reconfiguration, since data integrity may be compromised.

Editors Note 26 - GOP: The above three paragraphs have been moved to the model.

The device server shall ignore the contents of the Scope and Type fields.

0.2.1.5 Preempt

A PERSISTENT RESERVE OUT command with a service action of Preempt shall not conflict with any persistent reservation for the initiator(s) being preempted. If the Service Action Reservation key (see table 11) does not match any registered reservation key the device server shall return a RESERVATION CONFLICT status. If there is a reservation by any initiator (except the initiator(s) being preempted) that conflicts with the new reservation being established by the initiator executing the PERSISTENT RESERVE OUT command with Preempt service action, the PERSISTENT RESERVE OUT command shall be rejected with RESERVATION CONFLICT status and the Preempt service action shall not be performed.

The PERSISTENT RESERVE OUT command that successfully performs a Preempt service action shall;

- a) remove the all persistent reservations for the all initiators that are registered identified by with the Service action Reservation key specified in the PERSISTENT RESERVE OUT parameter list;
- b) remove all registration key(s) for the other initiators that have been preempted (see 0.2.1.1); and
- c) It shall also establish a persistent reservation for the preempting initiator.

~~Any commands from any initiator that have been accepted by the device server when the old persistent reservation was active as nonconflicting shall continue normal execution. It shall not be an error to send a PERSISTENT RESERVE OUT specifying a Preempt service action when no persistent reservation exists for the initiator identified by the Service action Reservation key.~~

~~A Unit Attention condition is established for the preempted initiators and all registered initiators if the preempted reservation is a write exclusive, registrants only or a exclusive access, registrants only. The sense key shall be set to UNIT ATTENTION and the additional sense data shall be set to RESERVATIONS PREEMPTED. Subsequent commands are subject to the persistent reservation restrictions established by the preempting initiator.~~

Editors Note 27 - GOP: The above three paragraph have been moved to the model.

The persistent reservation created by the preempting initiator is specified by the scope and type field of the PERSISTENT RESERVE OUT command and the corresponding fields in the PERSISTENT RESERVE OUT parameter list. The scope and type of the persistent reservation created by preempting initiator may be different than the persistent reservation being preempted.

The registration key for the other initiators that have been preempted shall be removed (see 0.2.1.1) by the Preempt service action. The reservation key for an initiator that has performed a Preempt service action with its own Reservation key specified in the Service action Reservation key shall remain unchanged, although all other specified releasing actions and reservation actions shall be performed.

Persistent reservations shall not be superseded by a new persistent reservation from any initiator except by execution of a PERSISTENT RESERVE OUT specifying either the Preempt or Preempt and Abort service action. New persistent reservations that do not conflict with an existing persistent reservation shall be executed normally. The persistent reservation of a logical unit or the persistent reservation of extents having the same type value shall be permitted if no conflicting persistent reservations other than the reservations being preempted are held by another initiator.

0.2.1.6 Preempt and Abort

The PERSISTENT RESERVE OUT command performing a Preempt and Abort service action, in addition to the requirements in this clause, have the same requirements as defined for the Preempt service action (see clause 0.2.1.6).

A PERSISTENT RESERVE OUT command with a service action of Preempt and Abort shall not conflict with any persistent reservation for the initiator(s) being preempted and aborted. If the Service Action Reservation key (see table 11) does not match any registered reservation key the device server shall return a RESERVATION CONFLICT status. If there is a reservation by any initiator (except the initiator(s) being preempted and cleared) that conflicts with the new reservation being established by the initiator executing the PERSISTENT RESERVE OUT command with Preempt and Abort service action, the PERSISTENT RESERVE OUT command shall be rejected with RESERVATION CONFLICT status and the Preempt and Abort service action shall not be performed.

The PERSISTENT RESERVE OUT command performing a Preempt and Abort service action removes all persistent reservations for all initiators that are registered with the Service Action Reservation key specified by the PERSISTENT RESERVE OUT parameter list. It shall also establish a persistent reservation for the preempting initiator. Every command from the initiators being preempted shall be terminated as if an ABORT TASK task management function had been performed by the preempted initiator. It shall not be an error to send a PERSISTENT RESERVE OUT specifying a Preempt and Abort service action when no persistent reservation exists for the initiator identified by the Service Action Reservation key. However, if the key is registered, the Clear portion of the action shall execute normally.

~~A Unit Attention condition is established for the preempted initiators. The sense key shall be set to UNIT ATTENTION and the additional sense data shall be set to RESERVATIONS PREEMPTED. Subsequent new commands and retries of commands that timed out because they were cleared are subject to the persistent reservation restrictions established by the preempting initiator.~~

~~The persistent reservation created by the preempting initiator is specified by the scope and type field of the PERSISTENT RESERVE OUT command and the corresponding fields in the PERSISTENT RESERVE OUT parameter list.~~

~~The Preempt and Abort service action shall clear any ACA or CA condition associated with the initiator being preempted and shall clear any tasks with an ACA attribute from that initiator. If TST=000b (see 8.3.4), then ACA or CA conditions for other initiators other than the initiator being preempted shall prevent the execution of the PERSISTENT RESERVE OUT task, which shall end with a status of ACA ACTIVE if NACA=1 (see SAM), or BUSY if NACA=0. If TST=001b, then ACA or CA conditions for other initiators other than the initiator being preempted shall not prevent the execution of the PERSISTENT RESERVE OUT task.~~

~~NOTE 1 The Preempt and Abort service action will clear the ACA condition associated with the initiator being preempted even though the task is terminated with an ACA ACTIVE status. Thus, the next command arriving at the device server will not encounter the ACA condition previously active for the initiator being preempted.~~

~~Any Asynchronous Event Reporting operations in progress that were initiated by the device server are not affected by the Preempt and Abort service action.~~

Editors Note 28 - GOP: The above three paragraphs have been moved to the model.

~~The reservation key for the other initiators that have been preempted shall be removed (see 0.2.1.1) by the Preempt and Abort service action. The reservation key for an initiator that has performed a Preempt and Abort service action with its own Reservation key specified in the Service action Reservation key shall remain unchanged, although all other specified clearing actions, releasing actions and reservation actions shall be performed.~~

~~Persistent reservations shall not be superseded by a new persistent reservation from any initiator except by execution of a PERSISTENT RESERVE OUT specifying either the Preempt or Preempt and Abort service action. New persistent reservations that do not conflict with an existing persistent reservation shall be executed normally. The persistent reservation of a logical unit or the persistent reservation of extents having the same type value shall be permitted if no conflicting persistent reservations other than the reservations being preempted are held by another initiator.~~

0.2.2 PERSISTENT RESERVE OUT parameter list

The parameter list required to perform the PERSISTENT RESERVE OUT command are defined in table 11. All fields shall be sent on all PERSISTENT RESERVE OUT commands, even if the field is not required for the specified Service action and Scope values.

Table 11 — PERSISTENT RESERVE OUT parameter list

Bit Byte	7	6	5	4	3	2	1	0
0	(MSB)	Reservation key						(LSB)
7								
8	(MSB)	Service action Reservation key						(LSB)
15								
16	(MSB)	Scope-specific address						(LSB)
19								
20		Reserved						APTPL
21		Reserved						
22	(MSB)	Extent length						(LSB)
23								

The Reservation key field contains an 8-byte ~~token value~~ provided by the application client to the device server to identify the initiator that is the source of the PERSISTENT RESERVE OUT command. The device server shall verify that the Reservation key field in a PERSISTENT RESERVE OUT command matches the registered reservation key for the initiator from which the command was received except for the Register service action for an unregistered initiator which shall have a reservation key value of zero. If a PERSISTENT RESERVE OUT command specifies a Reservation key field other than the reservation key registered for the initiator, the device server shall return a RESERVATION CONFLICT status. The reservation key of the initiator shall be valid for all Service action and Scope values.

The Service Action Reservation key field contains information needed for ~~three~~ the following service actions; the Register, Preempt, and Preempt and Abort service actions. For the Register service action, the Service Action Reservation key field contains the new reservation key to be registered. For the Preempt and Preempt and Abort service actions, the Service Action Reservation key field contains the reservation key of the persistent reservations that are being preempted. ~~For the Preempt and Preempt and Abort service actions, failure of the Service Action Reservation key to match any registered reservation keys shall result in the device server returning a RESERVATION CONFLICT status.~~ The Service Action Reservation key is ignored for all service actions except those described in this paragraph.

~~If the Scope is an Extent reservation, the Scope-specific address field shall contain the LBA of the first block of the extent and the Extent length field shall contain the number of blocks in the extent. If the Scope is an Element reservation, the Scope-specific address field shall contain the Element address, zero filled in the most significant bytes to fit the field, and the Extent length field shall be set to zero. If the Service action is Register or Clear or if the Scope is a Logical Unit reservation, both the Scope-specific address and Extent length fields shall be set to zero.~~

The Activate Persist Through Power Loss (APTPL) bit shall be valid only for the Register service action. In all other cases, the APTPL shall be ignored. Support for an APTPL bit equal to one is optional. If a device server that does not support the APTPL bit value of one receives that value in a Register service action, the device server shall

return a CHECK CONDITION status. The sense key shall be set to ILLEGAL REQUEST and additional sense data shall be set to INVALID FIELD IN PARAMETER LIST.

If the last valid APTPL bit value received by the device server is zero, the loss of power in the target shall release ~~the all-persistent reservations for all logical units~~ and remove all reservation keys (see 0.2.1.1). If the last valid APTPL bit value received by the device server is one, the logical unit shall retain ~~all the persistent reservations for all logical units~~ and all reservation keys for all initiators even if power is lost and later returned. ~~The most recently received valid APTPL value from any initiator shall govern logical unit's behavior in the event of power loss.~~

Table 46 summarizes which fields are set by the application client and interpreted by the device server for each Service action and Scope value. Two PERSISTENT RESERVE OUT parameters are not summarized in table 46; Reservation key and APTPL, since they are specified above.

Table 12 — PERSISTENT RESERVE OUT Service actions and valid parameters

Service action	Allowed Scope	Parameters		
		Type	Service Action Reservation key	Element or Element Parameters
Register	ignored	ignored	valid	ignored
Reserve Reserve Reserve	LU Extent Element	valid valid valid	ignored ignored ignored	ignored Extent valid Element valid
Release Release Release	LU Extent Element	valid valid valid	ignored ignored ignored	ignored Extent valid Element valid
Clear	ignored	ignored	ignored	ignored
Preempt Preempt Preempt	LU Extent Element	valid valid valid	valid valid valid	ignored Extent valid Element valid
Preempt & abort Preempt & abort Preempt & abort	LU Extent Element	valid valid valid	valid valid valid	ignored Extent valid Element valid